

Measuring Health Disparities  
March 2004

Britton N. (1995). Qualitative interviews in medical research. *British Medical Journal*; 311, 251-253.

Brown T.N. (2001). Measuring self-perceived racial and ethnic discrimination in social surveys. *Sociological Spectrum*; 21(3), 377-392.

Canales S, Ganz PA & Coscarelli CA. (1995). Translation and validation of a quality of life instrument for Hispanic American cancer patients: methodological considerations. *Quality of Life Research*; 4, 3-11.

Chandola T., Jenkinson C. (2000). Validating self-rated health in different ethnic groups. *Ethnicity & Health*; 5(2), 151-160

Cooper, LA, Hill, MN, Powe, NR. (2002). Designing and Evaluating Interventions to Eliminate Racial and Ethnic Disparities in Health Care. *Journal of General Internal Medicine*; 17(6), 477- 486.

Diez-Roux AV. (1998). Bringing context back into epidemiology: variables and fallacies in multilevel analysis. *American Journal of Public Health*; 88, 216-222.

Diez-Roux AV. (2000). Multilevel analysis in public health research. *Annual Review of Public Health*; 21, 171-192.

Duncan C, Jones K, Moon G. (1998). Context, composition and heterogeneity: using multilevel models in health research. *Social Sciences and Medicine*; 46, 97-117.

Entwistle DR, Astone NM ,(1994) Some practical guidelines for measuring youth's race/ethnicity and socioeconomic status. *Child Development*; 65, 1521–1540.

Jackson, Lang, Geniats (1999). Epidemiological issues in perinatal outcomes research. *Paediatric & Perinatal Epidemiology*; 13(4), 392-404

Kressin, NR, Chang BH, Hendricks A, Kazis, LE. (2003). Agreement between administrative data and patients' self-reports of race/ethnicity. *American Journal of Public Health*; 93(10), 1734-1739.

Krieger N, Chen J, Ebel G. (1997). Can we monitor socioeconomic inequalities in health? A survey of US Health Departments' data collection and reporting practices. *Public Health Report*, 112, 481-491.

---

This research was supported by Research Infrastructure in Minority Institutions (RIMI) grant 5P20MD000544-02 from the National Center for Minority Health and Health Disparities, National Institutes of Health, to San Francisco State University.

Krieger N, Chen J, Waterman P, Rehndopf D, Subramanian SV. (2003). Race/ethnicity, gender and monitoring socioeconomic gradients in health: A comparison of area-based socioeconomic measures – The Public Health Disparities Geocoding Project. *American Journal of Public Health*; 93(10), 1655.

Krieger N, Chen J, Waterman PD, Soobader M, Subramanian SV, Carson R. (2002). Geocoding and monitoring US socioeconomic inequalities in mortality and cancer incidence: does choice of area-based measure and geographic level matter? The Public Health Disparities Geocoding Project. *American Journal of Epidemiology*; 156, 471-482.

Krieger N, Chen J, Waterman PD, Soobader M, Subramanian SV, Carson R. (2003). Choosing area-based socioeconomic measures to monitor social inequalities in low birth weight and childhood lead poisoning – The Public Health Disparities Geocoding Project. *Journal of Epidemiology and Community Health*; 57, 186-199.

Krieger N, Williams DR, Moss NE. (1997). Measuring social class in public health research: Concepts, methodologies, and guidelines. *Annual Review of Public Health*; 18, 341–378.

Lee L .J., Batal H.A., Kutner J.S. (2002). Effect of Spanish interpretation method on patient satisfaction in an urban walk-in clinic. *Journal of General Internal Medicine*; 17(8), 641-646.

Lundberg O, Manderbacka K. (1996). Assessing reliability of self-rated health. *Scandinavian Journal of Social Medicine*; 24(3), 218-224.

Murray, LR. (2003). Sick and tired of being sick and tired: Scientific evidence, methods, and research implications for racial and ethnic disparities in occupational health. *American Journal of Public Health*; 93(2), 221-226.

Oakes JM, Rossi PH. (2003). The measurement of SES in health research: current practices toward a new approach. *Social Science & Medicine*; 56(4) 769-784

O'Campo P. (2003). Invited commentary: advancing theory and methods for multilevel models of residential neighborhoods and health. *American Journal of Epidemiology*; 157, 9-13.

Sexton K, Greaves IA, Church IA, Adgate JL, Ramachandran G, Tweedie RL, Fredrickson A, Geisser M, Sikorski M, Fischer G, Jones D, Ellringer P. (2000). A school-based strategy to assess children's environmental exposures and related health effects in economically disadvantaged urban neighborhoods. *Journal of Exposure Analysis & Environmental Epidemiology*; 10(6), 682-694

Soobader M, LeClere FB, Haden W, Maury B. (2001). Using aggregate geographic data to proxy individual socioeconomic status: does size matter? *American Journal of Public Health*; 91, 632-636.

Staniszewska S, Ahmed L, Jenkinson C. (1999). The conceptual validity and appropriateness of using health-related quality of life measures with minority ethnic groups. *Ethnicity & Health*; 4(1), 51-63

Ware J, Keller SD, Gandek B, Brazier JE & Sullivan M. (1995). Evaluating translations of health status questionnaires. Methods from the IQOLA project. *International Journal of Thechnology Assessment in Health Care*; 11, 525-51.

Ware J, Kosinski M, Bayliss MS. (1995). Comparisons of methods for the scoring of statistical analysis of the SF-36 health profile and summary measures: summary of results from Medical Outcomes Study. *Medical Care*; 33, 264-279.

Weisner C, Schmidt L. (1995). The Community Epidemiology Laboratory: Studying alcohol problems in community and agency based populations. *Addiction*; 90(3), 329-341.

Williams DR. (1996) Race/ethnicity and socioeconomic status: Measurement and methodological issues. *International Journal of Health Services*; 26, 483–505.